AN EXISTENCE THEOREM FOR SOME NONCONVEX HYPERBOLIC DIFFERENTIAL INCLUSIONS

AURELIAN CERNEA

Abstract. A version of Filippov's theorem concerning the existence of solutions to Darboux problems for hyperbolic differential inclusions is obtained using the contraction principle in the space of selections of the multifunction instead of the space of solutions.

MSC 2000. 34A60

Key words. Set-valued map, hyperbolic differential inclusion, contraction principle.

REFERENCES

- CASTAING, C. and VALADIER, M., Convex Analysis and Measurable Multifunctions, LNM 580, Springer, Berlin, 1977.
- [2] CERNEA, A., A Filippov type existence theorem for infinite horizon operational differential inclusions, Stud. Cerc. Mat., 50 (1998), 15–22.
- [3] COVITZ, H. and NADLER, S.B. JR., Multivalued contraction mapping in generalized metric spaces, Israel J. Math., 8 (1970), 5–11.
- [4] KANNAI, Z. and TALLOS, P., Stability of solution sets of differential inclusions, Acta Sci. Math., 61 (1995), 197–207.
- [5] LIM, T.C., On fixed point stability for set valued contractive mappings with applications to generalized differential equations, J. Math. Anal. Appl., **110** (1985), 436–441.
- [6] RUS, I.A., PETRUŞEL, A. and SÎNTĂMĂRIAN, A., Data dependence of the fixed points set of multivalued weakly Picard operators, Studia Univ. "Babeş-Bolyai", ser. Mathematica, 46 (2001), 111–121.
- [7] TALLOS, P., A Filippov-Gronwall type inequality in infinite dimensional space, Pure Math. Appl., 5 (1994), 355–362.
- [8] TEODORU, G., An application of the fixed point theorem of Bohnenblust-Karlin to the Darboux problem for multivalued inclusion, Revue d'Anal. Num. et de Th. de l'Approx., 39 (2000), 213–220.
- [9] TUAN, H.D., On local controllability of hyperbolic inclusions, J. Math. Syst. Estimation Control, 4 (1994), 319–339.

Received May 10, 2001

Faculty of Mathematics University of Bucharest Str. Academiei 14 RO-70109 Bucharest, Romania E-mail: acernea@math.math.unibuc.ro