

NEW CHARACTERIZATIONS OF SOME MEAN VALUES
AND FUNCTIONAL EQUATIONS

THEMISTOCLES M. RASSIAS and YOUNG-HO KIM

Abstract. New characterizations of a special function p for a symmetric mean $M(a, b; p, r_{n,k}; q)$ and a certain functional equation are proved.

MSC 2000. 38B22.

Key words. Gauss' functional equation, monotonic function, power mean.

REFERENCES

- [1] BULLEN, P.S., MITRINOVIĆ, D.S. and VASIĆ, P.M., *Mean and Their Inequalities*, Reidel, Dordrecht 1988.
- [2] HARUKI, H., *New characterizations of the arithmetic-geometric mean of Gauss and other well-known values*, Publ. Math. Debrecen, **38** (1991), 323–332.
- [3] HARUKI, H. and RASSIAS, TH.M., *New characterizations of some mean-values*, J. Math. Anal. Appl., **202** (1996), 333–348.
- [4] HARUKI, H. and RASSIAS, TH.M., *A new analogue of Gauss' functional equation*, Int. J. Math. Math. Sci., **18** (1995), 749–756.
- [5] HYERS, D.H., ISAC, G. and RASSIAS, TH.M., *Stability of Functional Equations in Several Variables*, Birkhäuser Boston 1998.
- [6] HYERS, D.H., ISAC, G. and RASSIAS, TH.M., *Topics in Nonlinear Analysis and Applications*, World Scientific Publ. Co. New Jersey, London 1998.
- [7] KAHLIG, P. and MATKOWSKI, J., *On the composition of homogeneous quasi-arithmetic means*, J. Math. Anal. Appl., **216** (1997), 69–85.
- [8] KIM, Y.H., *New characterizations of well-known mean-values*, Far East J. Math. Sci., **6(6)** (1998), 939–947.
- [9] KIM, Y.H., *On some further extensions of the characterizations of mean values by H. Haruki and Th. M. Rassias*, J. Math. Anal. Appl., **235** (1999), 598–607.
- [10] KIM, Y.H. and UME, J.S., *New characterizations of well-known mean-values II*, Far East J. Math. Sci., **2(3)** (2000), 453–461.
- [11] KIM, Y.H. and RASSIAS, TH.M., *Properties of some mean values and functional equations*, Panamer. Math. J., **12(1)** (2002), 65–74.
- [12] SAHOO, P.K. and RIEDEL, T., *Mean Value Theorems and Functional Equations*, World Scientific Publ. Co. Singapore, New Jersey, London 1998.
- [13] TOADER, GH., *Some mean values related to the arithmetic-geometric mean*, J. Math. Anal. Appl., **218** (1998), 358–368.
- [14] TOADER, GH. and RASSIAS, TH.M., *New properties of some mean values*, J. Math. Anal. Appl., **232** (1999), 376–383.
- [15] TOADER, S., RASSIAS, TH.M. and TOADER, GH., *A Gauss type functional equation*, Int. J. Math. Math. Sci., **25(9)** (2001), 565–569.
- [16] ZHENG, L., *On new generalizations of certain mean values by H. Haruki and Rassias*, Th.M., Math. Sci. Res. Hot-Line, **5(5)** (2001), 15–23.

Received May 8, 2001

Department of Mathematics
National Technical University of Athens
Zografou Campus, 15780 Athens, Greece
E-mail: trassias@math.ntua.gr

Department of Applied Mathematics
Changwon National University
Changwon 641-773, Korea
E-mail: yhkim@sarim.changwon.ac.kr